

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

100 Years in the Making





FIGURE 2



206220" 9484E001




FIGURE 3




FIGURE 4

2006220" 94846 032900T




FIGURE 5

205230" 9484E00T

FIGURE 6





FIGURE 7

Table 1	RATIO OF THE ABSORBENT AREA TO EXTENSIBLE CHASSIS AREA @ 0%	RATIO OF THE ABSORBENT AREA TO EXTENSIBLE CHASSIS AREA @ 16%	RATIO OF THE ABSORBENT AREA TO EXTENSIBLE CHASSIS AREA @ 29%
Mean % strain @ 500g	21.8	17	13.1
Mean % strain @ 1000g	40.4	33.3	27.5
Mean % strain @ 1400g	47.7	41.8	37.8
Stdv % strain @ 500g	1.0	1.0	0.6
Stdv % strain @ 1000g	1.9	1.3	1.0
Stdv % strain @ 1400g	2.7	1.0	1.3

FIGURE 8



200622E0.032902